

Titrations



LPT

Titration Terms

Titration
Controlled addition of a liquid into a vessel to measure the volume that reacts with a substance already in the vessel. Titration measures concentration.

Indicators
substances that change color to signal when to stop a titration
Organic dyes whose color is sensitive to pH

Endpoint
point in a titration when the indicator changes color

Standard Solution
solution of known concentration used in a titration

Neutralization
double replacement reaction: an acid and a base react to form water and a salt

Acid + Base → Salt + Water

$H^+ + OH^- \rightarrow H_2O$

LPT

Indicators

Complex Organic Compounds
Change color (chemical change) with pH changes
Choice depends on desired end-point

Most Used →



Indicators INDICATE Endpoint
An Indicator is the substance that indicates end of titration

LPT

Phenolphthalein



One of the most common indicators used

Laxative

C.S.I. = used to determine if stain is blood

Kastle-Meyer Spot Test
Phenolphthalein plus sample
Add H_2O_2
Hemoglobin present oxidizes to pink form

OH^- attacks acid form and changes structure
Acid form: colorless
Basic form: magenta

LPT

Many Plant Colors (Anthrocyanins) are pH Indicators

Indicators ➔ color depends on pH
Color change ➔ Chemical change

The "colors" in vegetables have significant cancer risk reductions

Hydrangea
Basic Soil

Hydrangea
Acidic Soil



LPT

pH

pH = measurement of molar H^+ concentration
The H means $[H^+]$ (molar concentration of hydrogen ions)
The p in pH means "the negative logarithm of"

$$[H^+] = 1 \times 10^{-pH}$$

pH 7 means the concentration of $H^+ = 10^{-7}$ M

pH < 7 ➔ acidic
pH = 7 ➔ neutral
pH > 7 ➔ basic (alkaline)

pH is measured with electronics or indicators

LPT

Common pH Values

Concentration of Hydrogen ions compared to distilled water		Examples of solutions at this pH
10,000,000	pH= 0	Battery acid, Strong Hydrofluoric Acid
1,000,000	pH = 1	Hydrochloric acid secreted by stomach lining
100,000	pH = 2	Lemon Juice, Gastric Acid Vinegar
10,000	pH = 3	Grapefruit, Orange Juice, Soda
1,000	pH = 4	Acid rain Tomato Juice
100	pH = 5	Soft drinking water Black Coffee
10	pH = 6	Urine Saliva
1	pH = 7	"Pure" water
1/10	pH = 8	Sea water
1/100	pH = 9	Baking soda
1/1,000	pH = 10	Great Salt Lake Milk of Magnesia
1/10,000	pH = 11	Ammonia solution
1/100,000	pH = 12	Soapy water
1/1,000,000	pH =13	Bleaches Oven cleaner
1/10,000,000	pH = 14	Liquid drain cleaner



LPT

The Titration Experiment

pH high, dark color

End Point, Perfect Faint Pink

pH changing, lingering color

pH low, no indicator color



LPT

Titration Experiment

Using Phenolphthalein

Color change
Colorless ➔ Magenta
Easier to visualize

Most Common





End Point

LPT

Titration Experiment

Key to "Titrations"

At end point:

Moles standard added = Moles unknown present

via "Per Expression" from reaction coefficients

Let the units drive the solution

LPT

Neutralization Reactions: Acid + Base → Salt + Water

How many mL's of 0.835 M HNO_3 will neutralize 38.5 mL of 0.522 M $Mg(OH)_2$?

Write the balanced reaction



$$2\ HNO_3 + Mg(OH)_2 \rightarrow Mg(NO_3)_2 + 2\ H_2O$$

Given: 38.5 mL 0.522 M magnesium hydroxide
Wanted: ml's 0.835 M nitric acid

1. Find # moles (using molarity) of given:

$$\frac{0.522 \text{ moles } Mg(OH)_2}{1000 \text{ mL}} \times 38.50 \text{ ml}$$

2. Use per expression from reaction coefficients to find moles unknown:

$$\times \frac{2 \text{ moles } HNO_3}{1 \text{ mole } Mg(OH)_2}$$

3. Use unknown molarity to convert to volume unknown needed:

$$\times \frac{1000 \text{ mL}}{0.835 \text{ moles}} = 48.1 \text{ mL}$$

LPT

How many mL of 0.0957 M Sodium Hydroxide are needed to neutralize 20.00 mL of 0.180 M Hydrochloric acid?

Write the balanced reaction

$$HCl + NaOH \rightarrow NaCl + H_2O$$

Given: 20.00 mL 0.180 M hydrochloric acid
Wanted: ml's 0.0957 M sodium hydroxide

As Linear String: Starting with standard molarity

$$\frac{0.180 \text{ moles HCl}}{1000 \text{ mL}} \times 20.00 \text{ mL} \times \frac{1 \text{ mole NaOH}}{1 \text{ mole HCl}} \times \frac{1000 \text{ mL}}{0.0957 \text{ moles NaOH}} = 37.6 \text{ mL}$$

As Linear String: Starting with mL's standard added

$$20.00 \text{ mL} \times \frac{0.180 \text{ moles HCl}}{1000 \text{ mL}} \times \frac{1 \text{ mole NaOH}}{1 \text{ mole HCl}} \times \frac{1000 \text{ mL}}{0.0957 \text{ moles NaOH}} = 37.6 \text{ mL}$$

Let the units drive the solution

LPT

How many mL of 0.266 M Potassium Hydroxide are needed to neutralize 20.5 mL of 0.172 M Sulfuric acid?

Write the balanced reaction:

$$H_2SO_4 + 2\ KOH \rightarrow K_2SO_4 + 2\ H_2O$$

Given: 20.5 mL 0.172 M sulfuric acid
Wanted: ml's 0.266 M potassium hydroxide

As Linear String: Starting with standard molarity

$$\frac{0.172\ \text{moles } H_2SO_4}{1000\ \text{mL}} \times 20.5\ \text{mL} \times \frac{2\ \text{moles KOH}}{1\ \text{mole } H_2SO_4} \times \frac{1\ \text{L}}{0.266\ \text{moles}} \times \frac{1000\ \text{mL}}{1\ \text{L}} = 26.5\ \text{mL}$$

As Linear String: Starting with standard ml's added

$$20.5\ \text{mL} \times \frac{0.172\ \text{moles } H_2SO_4}{1000\ \text{mL}} \times \frac{2\ \text{moles KOH}}{1\ \text{mole } H_2SO_4} \times \frac{1\ \text{L}}{0.266\ \text{moles}} \times \frac{1000\ \text{mL}}{1\ \text{L}} = 26.5\ \text{mL}$$

Let the units drive the solution

LPT

How many mLs of 0.832 M HCl are required for 1.46 g of Na_2CO_3?

$$2\ HCl + Na_2CO_3 \rightarrow H_2O + CO_2 + 2\ NaCl$$

Given: 1.46 grams sodium carbonate (molar mass 105.98 g/mole)
Wanted: mL of 0.832 M HCl

As Linear String:

$$1.46\ \text{g } Na_2CO_3 \times \frac{1\ \text{mole}}{105.98\ \text{g}} \times \frac{2\ \text{mole HCl}}{1\ \text{mole } Na_2CO_3} \times \frac{1\ \text{L}}{0.832\ \text{moles HCl}} \times \frac{1000\ \text{mL}}{1\ \text{L}} = 33.1\ \text{mL}$$



Let the units drive the solution

LPT

Neutralization Reactions: Solution Stoichiometry

Determine moles present in given solution
Use reaction coefficients ("per expression") to get moles wanted
Convert moles wanted to solution concentration



At endpoint:

Moles added ($\frac{\text{Moles}}{1000\ \text{mL}}$ x mL standard) = moles present in standard

Moles present standard x "per expression" = moles present in unknown

$\frac{\text{moles present in unknown}}{\text{ml unknown}}$ x $\frac{1000\ \text{ml}}{\text{L}}$ = Molarity (M /L) unknown



Let the units drive the solution

LPT



LPT